



## Safety Data Sheet

### 1. Product Name: Polycarbonate + 2 sides UVP

Polycarbonate (PC) Thermoplastic sheet with two sides UV surface protection.

1.1 Main Polymer: Poly (biphphenol-a-carbonate, CAS 24936-68-3)

1.2 Product Use: As sheet for flat, curved and thermoformed glazing applications.

### 2. Composition/information on ingredients

This product consists of high molecular weight polymers which are not expected to be hazardous.

### 3. Hazard Identification

Potential Health Effects

Eyes Product may cause irritation or injury due to mechanical action.

Skin Sheet not likely to cause skin irritation

Ingestion Not acutely toxic

Inhalation Sheet inhalation unlikely due to physical form.

### 4. First Aid Measures

Eyes No first aid required

Skin No first aid required

Ingestion Since this material is not expected to be a problem, no first aid procedures are required.

Inhalation Not likely to be inhaled due to physical form.

Melt processing health effects Processing fumes may cause irritation to the eyes and respiratory tract, and in cases of severe over exposure, nausea and headache.

Medical restrictions

When heated to processing temperatures virtually all thermoplastics emit processing fumes. The exact composition and concentration of these processing fumes depends on the resin formulation including additives, the residence time in the processing equipment, variables such as venting parameters and processing temperature. Certain sensitive individuals and those with respiratory impairments, may experience some temporary irritation by exposure to specific components in the processing fumes.

### 5. Fire Fighting Measures

Fire fighting

Approved pressure demand breathing apparatus and protective clothing should be used for all fires. Water spray is the preferred extinguishing medium. This product will melt but will not be carried on the surface of water.

Extinguishing media	Water spray and foam. Water is the best extinguishing medium. Carbon dioxide and dry chemicals are not generally recommended because their lack of cooling capacity may permit re-ignition.
Hazardous combustion	Hazardous combustion products may include intense heat, dense black smoke, carbon monoxide, carbon dioxide and traces of hydrocarbon fragments.
Conditions of flammability	
Explosion data	
Impact Sensitivity	Not sensitive to mechanical impact.
Static Discharge	Not sensitive to static discharge.

---

## 6. Accidental Release Measures

---

General	Sweep or gather up material and place in proper container for disposal or recovery.
---------	---

---

## 7. Handling and Storage

---

Handling practices.	Following good standard industrial hygiene Provide adequate ventilation.
Storage	Inert material under normal storage conditions. No special precautions required. Do not stack unsupported sheets or pallets too high.

---

## 8. Exposure Controls/personal protection

---

Personal protection	
Eyes/face	Wear safety glasses with side shields when cutting the sheets.
Respiratory	Good industrial hygiene practice requires adequate ventilation of the workplace. When dust and powder from secondary operations, such as grinding, sanding or sawing are not adequately controlled, use respirator approved for protection for dust.

---

## 9. Physical and Chemical Properties

---

Physical State	Solid
Odour and appearance	Plastic sheet with slight odour
Boiling point	Not applicable
Melting point	This product does not exhibit a sharp melting point but softens gradually over a wide temperature range.
Vapour pressure	Negligible

(mmHg)	
Vapour density (air=1)	Not applicable
Specific gravity (water=1)	>1
Water solubility	Insoluble
% Volatiles	Negligible
pH	Not applicable
Odor threshold	Not established
Evaporation rate	Negligible
Coefficient water/oil distr.	Not established
Flash point	Not applicable
Lower flammable limit	Not established
Upper flammable limit	Not established
Auto ignition	630°C estimated

### 10. Stability and Reactivity

Stability	Stable under recommended conditions of storage and handling.
Reactivity	Not reactive under recommended conditions of handling, storage, processing and use.
Hazardous	Processing fumes evolved at recommended processing conditions may include trace levels of phenol, alkylphenols, and diarylcarbonates.

### 11. Toxicological Information

Product	
- Acute oral	Oral LD50 (Rat) > 5g/Kg estimated

### 12. Ecological Information

General	Not expected to present any significant ecological problems.
---------	--

### 13. Disposal Information

Waste disposal	<p>Recycling: This product may be recycled either back into sheet or into suitable other applications.</p> <p>Waste disposal: this product is not regarded as hazardous waste.  <u>Dispose in accordance with local regulations.</u></p>
----------------	--

### 14. Transportation Information

General

This product is not subject to transport regulations.

---

### **15. Regulatory information**

---

This product is not considered dangerous under EU directives 67/548/EEC and 88/379/EEC, as amended.

---

### **16. Other**

---

This publication provides information and guidelines for safe handling and cutting of Polycarbonate sheet and is based on currently available experience and knowledge. It is not designed as a comprehensive product performance data sheet, nor as a guide to application possibilities of our materials.

Users should follow all applicable local regulations governing Health and Safety at work, and are requested to pass this publication on to all relevant employees and customers.

### **Plazit 2001**

Plazit 2001, Kibbutz Gazit, D.N. Yizreel, 19340, Israel  
Tel: +972-4-6628888 Fax: + 972-4-6765784 email: [plazit@plazit.com](mailto:plazit@plazit.com)